

PART NUMBER <h1 style="margin: 0;">KAD177023</h1>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th style="width: 15%;">REV.</th> <th style="width: 15%;">DATE</th> <th style="width: 40%;">COMMENTS</th> <th style="width: 30%;">INITIAL</th> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </table>	REV.	DATE	COMMENTS	INITIAL				
REV.	DATE	COMMENTS	INITIAL						

Electrical Data

Impedance 50 Ω

RoHS Compliant

Technical drawing of the KAD177023 adapter. The drawing shows a side view of the component with three dimension lines. The first dimension line indicates a diameter of Ø 0.382 (9.7) for the main body. The second dimension line indicates a length of 1.043 (26.5) for the main body. The third dimension line indicates a thread of 10-32UNS-2A for the female jack.

Drawing not to scale. Dimensions for reference only

Units: inches (mm)



WWW.KONNECTRF.COM
1-800-790-5887

PART NUMBER <h1 style="margin: 0;">KAD177023</h1>		DESCRIPTION Adapter, Between Series, BNC Female Jack to 10-32 Female Jack													
CAGE CODE <h2 style="margin: 0;">664U0</h2>	SIGNATURE <div style="text-align: center;"> </div>	<table style="width: 100%;"> <tr> <th style="width: 33%;">Component</th> <th style="width: 33%;">Material</th> <th style="width: 33%;">Plating</th> </tr> <tr> <td>Body</td> <td>Brass</td> <td>Nickel</td> </tr> <tr> <td>Center Contact</td> <td>BeCu</td> <td>Gold</td> </tr> <tr> <td>Insulator</td> <td>PTFE</td> <td></td> </tr> </table>		Component	Material	Plating	Body	Brass	Nickel	Center Contact	BeCu	Gold	Insulator	PTFE	
Component	Material	Plating													
Body	Brass	Nickel													
Center Contact	BeCu	Gold													
Insulator	PTFE														
THIS DRAWING INCLUDING THE DESIGNS IS THE PROPERTY OF KONNECT RF AND IS NOT TO BE USED FOR ANY PURPOSE WITHOUT OUR APPROVAL.															